



**ANME-Info:**

**Uptake of Basic Research on Homeopathy in the EU Research Programme**

Health is important for all people in Europe, in the world. In that way people are able to work and to live a long time without any heavy disease. That will save money in Europe and in the world. Therefore, homeopathy not yet sufficient researched is a therapy to maintain the health of people. It is worth to do a lot of research on homeopathy, especially since Lenger (1,2) detected photons in homeopathic remedies. Finally, homeopathy can be explained scientifically. It will become a part of natural sciences and will get a scientific base.

Quantum physical studies, biochemical and medical studies are now demanded to apply homeopathy simply using only low costs. That will be a great innovation involving a lot of scientific institutes, clinics and KMUs.

Lenger detected photons in homeopathic potencies by two different electromagnetic resonance methods (1, 2) She developed a biophysical and biochemical model of homeopathic function basing on her biochemical homeopathic therapy on patients (3). Therefore, a scientific research of homeopathic medicines, their mode of production, their quality control, their application and their efficacy in patients is now possible.

Quantum physical research will characterize these photons, their coherent behaviour and their magnetic properties of information. Photons are taken up and are emitted by all living organisms. In organisms having a disease the emitted patterns of photons are different from healthy ones. It must be investigated in biological-biochemical systems without disease and with disease or in healthy subjects and patients that the frequencies of homeopathic remedies alter the pattern of emission to healthy ones by resonance effect The frequency patterns of the emitted photons of the biological systems and of the patients will be compared with those of homeopathic potencies. A frequency database of patients and homeopathic potencies will be obtained to ensure the selection of the appropriate remedy (resonance principle).

The new methods applied by Lenger must be further developed to measure frequencies of all homeopathic remedies and to perform a quality control of the degree of the potencies during the production of homeopathic remedies (4).

Finally, homeopathy, researched in that way, will have a scientifically explainable base, will be acknowledged as one of the most important therapies for healing human beings in an efficacious, harmless and sure way by low costs without any side-effects.

**Abstract published on:**

**Försters Resonance Energy Transfer in life Sciences**

**27.3. - 30.3.2011**

**Max Planck Institute for Biophysical Chemistry, Göttingen**

**Homeopathic Function by Resonance Energy Transfer through Photons detected in Homeopathic Remedies by Magnetic Resonance Methods.**

**Lenger Karin**, Institute for Scientific Homeopathy,  
e-mail: [Dr.Karin.Lenger@t-online.de](mailto:Dr.Karin.Lenger@t-online.de)

**Bajpai Rajendra P.** International Institute for Biophysics,  
Kapellener Str., DE-41472 Neuss  
and  
North Eastern Hill University, 47, Teachers Quarters NEHU,  
Permanent Campus Shillong 793022, India, e-mail: [rpbajpai@gmail.com](mailto:rpbajpai@gmail.com)

**Spielmann Manfred**, Institute for Scientific Homeopathy,  
e-mail: [Manfred.Spielmann@strahlenumfeld.de](mailto:Manfred.Spielmann@strahlenumfeld.de)

Lenger detected photons in the MHz-region using homeopathic remedies on sugar globules by two magnetic resonance methods: 1) by the Tesla-flatcoil system and 2) by the modified Photomultiplier-Method. The magnetic field was attenuated by the highly potentized remedies Argentum metallicum CMf and Cantharis in CMf. This was only possible by resonance if the remedies used had the same frequency as the Tesla-flatcoil system.

The degree of the potencies could be measured by very softly enhancing the input Voltage( $\mu$ V). A distinct magnetic field separating the photons from the sugar globules is characteristic for the remedy and each degree of the potency. Each remedy showed different resonance frequencies: e.g. Argentum metallicum CMf and Cantharis CMf had resonance frequencies at 2.06 and at 6.9 MHz, Arnika CMf at 2.06 and 1,823 MHz, Bovista at 2.06 MHz and 4.77 MHz. Stimulation of one of their resonance frequencies allowed to measure the other ones.

Using the modified Photomultiplier-method which means that a copper coil connected with 2.06 MHz/50V of a generator was put around the measuring chamber resulted that the yield of photons being separated from the sugar globules was much higher than by stimulation with visible light. The photons of the remedies had holistic coherent behaviour expressed by the  $B_2$ -coefficient of Bajpai's equation. Using the above

mentioned methods it is possible to discriminate a homeopathic remedy or a placebo for the first time.

Lenger developed a biophysical, biochemical model of homeopathic function.

In a healthy state before an enzyme reaction photons from the sun or universe are attracted by resonance to stimulate the enzymes to higher energy levels by lowering their activation energy; after the enzyme reaction the enzyme specific photons will be emitted. During illness other energy terms of the enzymes are involved, either too many higher ones by up-taking too many photons or ground states are achieved by emitting too many photons (Popp).

Homeopathic healing means that the remedies having the necessary resonance frequency do either attenuate the excess photons or perform quantum jumps to reach the normal energy level of the healthy enzymes. The magnetic fields of the homeopathic photons and of the patient are assumed to be polar. Therefore, in a disease state, substances and inhibitors of the biochemical pathways being involved can be given in high potencies to cure the patient. Lenger showed that the laboratory-values of the patients became better or even normal using this therapy.

Lenger Karin, Homeopathic potencies identified by a new magnetic resonance method. Homeopathy – an energetic medicine.

Subtle Energies and Energy Medicine 2006, Vol 15, Nr. 3:225-243

Lenger K, RP Bajpai, Drexel M, Delayed luminescence of high homeopathic potencies on sugar globuli. Homeopathy, 2008; 97, 134-140

Lenger Karin, A new biochemical model of homeopathic efficacy in patients with chronic diseases. Subtle Energies & Energy Medicine 2010, 19(3), 9-41.

Lenger K, RP Bajpai, Spielmann M. Stability and Quality Control of Homeopathic Remedies. Homeopathy in press, 2011